

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1577	(sens\$3 near amplif\$4) and (load\$3 same resistan\$2 same voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:42
L2	181	(sens\$3 near amplif\$4) and (load\$3 same resistan\$2 same voltage\$1 same.(data with line\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:44
L3	10	(sens\$3 near amplif\$4) and (load\$3 same (veri\$3 with resistan\$2) same voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:43
L4	116	(sens\$3 near amplif\$4) and (load\$3 same resistan\$2 same (voltage\$1 with (data with line\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:44
L5	85	((sens\$3 near amplif\$4) with (bit with line\$1)) and (load\$3 same resistan\$2 same voltage\$1 same (data with line\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:45
L6	53	((sens\$3 near amplif\$4) with (bit with line\$1)) and (load\$3 same resistan\$2 same (voltage\$1 with (data with line\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:45
L7	1774	(365/205.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:45
L8	43	1 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:45
L9	7	2 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:45
L10	6	4 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:45

L11	5	5 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:46
L12	4	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:46